

Presenter – Pierre Kory, MPA, MD, Assistant Professor, Albert Einstein College of Medicine

- 1) Historical Insights into Therapeutic Hypothermia
- 2) Review of the Evidence in Out-of-Hospital Cardiac Arrest Patients
- 3) Hypothermia trials in Patients presenting with STEMI, Shock, PEA, and Asystole
- 4) Current Topics of Research - in-hospital arrest, speed and depth of cooling

Annotated Bibliography for “The Evidence behind Therapeutic Hypothermia”

- 1) The Hypothermia After Cardiac Arrest Study Group. Mild therapeutic hypothermia to improve the neurological outcome after cardiac arrest. *N Engl J Med* 2002; 346:549-556.
- 2) Bernard SA, Gray TW, Buist MD, et al. Treatment of comatose survivors of out-of-hospital cardiac arrest with induced hypothermia. *N Engl J Med* 2002; 346:557-563.
- 3) Kuboyama K, Safar P, Radovsky A, et al. Delay in cooling negates the beneficial effect of mild resuscitative cerebral hypothermia after cardiac arrest in dogs: a prospective, randomized study. *Crit Care Med* 1993; 21:1348-1358
- 4) Markarian GZ, Lee JH, Stein DJ, et al. Mild hypothermia: therapeutic window after experimental cerebral ischemia. *Neurosurgery* 1996; 38:542-550
- 5) Safar P. Resuscitation of the ischemic brain. In: Albin MS, ed. *Textbook of neuroanesthesia with neurosurgical and neuroscience perspectives*. New York, NY: McGraw-Hill, Health Professions Division, 1997; 557-593
- 6) Tanimoto H, Ichinose K, Okamoto T, et al. Rapidly induced hypothermia with extracorporeal lung and heart assist (ECLHA) improves the neurological outcome after prolonged cardiac arrest in dogs. *Resuscitation* 2007; 72:128-136
- 7) Wolfrum S, Pierau C, Radke PW, et al. Mild therapeutic hypothermia in patients after out-of-hospital cardiac arrest due to acute ST-segment elevation myocardial infarction undergoing immediate percutaneous coronary intervention. *Crit Care Med* 2008; 36:1780-1786
- 8) Nolan JP, Morley PT, Hoek TL, et al. Therapeutic hypothermia after cardiac arrest: an advisory statement by the Advancement Life Support Task Force of the International Liaison Committee on Resuscitation. *Resuscitation* 2003; 57:231-235
- 9) Nolan JP, Hazinski MF, Steen PA, et al. Controversial topics from the 2005 International Consensus Conference on cardiopulmonary resuscitation and emergency cardiovascular care science with treatment recommendations. *Resuscitation* 2005; 67:175-179
- 10) Wolfrum S, Radke PW, Pischon T, et al. Mild therapeutic hypothermia after cardiac arrest- A nationwide survey on the implementation of the ILCOR guidelines in German intensive care units. *Resuscitation* 2007; 72:207-213
- 11) Suffoletto BP, Salcido DD, Menegazzi JJ. Use of prehospital-induced hypothermia after out-of-hospital cardiac arrest: a survey of the National Association of Emergency Medical Services Physicians. *Prehosp Emerg Care* 2008; 12:52-56.
- 12) Kuboyama K, Safar P, Radovsky A, et al. Delay in cooling negates the beneficial effect of mild resuscitative cerebral hypothermia after cardiac arrest in dogs: a prospective, randomized study. *Crit Care Med* 1993; 21:1348-1358
- 13) Markarian GZ, Lee JH, Stein DJ, et al. Mild hypothermia: therapeutic window after experimental cerebral ischemia. *Neurosurgery* 1996; 38:542-550
- 14) Safar P. Resuscitation of the ischemic brain. In: Albin MS, ed. *Textbook of neuroanesthesia with neurosurgical and neuroscience perspectives*. New York, NY: McGraw-Hill, Health Professions Division, 1997; 557-593
- 15) Tanimoto H, Ichinose K, Okamoto T, et al. Rapidly induced hypothermia with extracorporeal lung and heart assist (ECLHA) improves the neurological outcome after prolonged cardiac arrest in dogs. *Resuscitation* 2007; 72:128-136
- 16) Khogali M, Weiner JS. Heat Stroke: Report on 18 cases. *Lancet* 1980;II (8189):276-278
- 17) Polderman KH, Sterz F, Van Zanten ARH, et al. Induced hypothermia improves neurological outcome in asystolic patients with out-of-hospital cardiac arrest [abstract]. *Circulation* 2003; 108:IV-581
- 18) Hadad E, Moshe RA, Heled Y, et al. Heat stroke: a review of cooling methods. *Sports Med* 2004;

34:501-511

19) Haugk M, Sterz F, Grassberger M, et al. Feasibility and efficacy of a new non-invasive surface cooling device in post-resuscitation intensive care medicine. *Resuscitation* 2007; 75:76-81

20) O'Donnel J, Axelrod P, Fisher C, et al. Use and effectiveness of hypothermia blankets for febrile patients in the intensive care unit. *Clin Infect Dis* 1997; 24:1208-1213

21) Georgiadis D, Schwarz S, Kollmar R, et al. Endovascular cooling for moderate hypothermia in patients with acute stroke. *Stroke* 2001; 32:2550-2553.

22) Kammergard LP, Rasmussen BH, Jorgensen HS, et al. Feasibility and safety of inducing modest hypothermia in awake patients with acute stroke through surface cooling: a case-control study: the Copenhagen Stroke Study. *Stroke* 2000; 31:2251-2256

23) Janata A, Weihs W, Bayegan K, et al. Therapeutic hypothermia with a novel surface cooling device improves neurologic outcome after prolonged cardiac arrest in swine. *Crit Care Med* 2008; 36:895-902

24) Al-Senani FM, Graffagnino C, Grotta JC, et al. A prospective, multicenter pilot study to evaluate the feasibility and safety of using the Coolgard™ system and Icy™ catheter following cardiac arrest. *Resuscitation* 2004; 62:143-150

25) Callaway CW, Tadler SC, Katz LM, et al. Feasibility of external cranial cooling during out-of-hospital cardiac arrest. *Resuscitation* 2002; 52:159-165